What is claimed is:

1. A compound according to formula (I):

$$R^{1}$$
 R^{1}
 R^{1}

5

wherein:

Z₁ is N or CR^{1a};

10 R¹ and R^{1a} are independently selected from H, nitro, halogen, (C₁₋₃)alkylthio, (C₁₋₃)alkyl, and (C₁₋₃)alkoxy optionally substituted by (C₁₋₃)alkoxy; or R¹ and R^{1a} are joined together to form ethylenedioxy;

R^{1b} is H or halogen;

with the proviso that when Z_1 is N, then R^{1b} is H and when Z_1 is CR^{1a} then R^1 is not H;


R^{1c} is halogen;

20 AB is CHR⁶-CO or CHR⁶-CH₂;

 R^6 is H, NH_2 , - CH_2OH , or hydroxy;

 R^3 is up to two substituents selected from H, halogen, (C₁₋₃)alkyl, hydroxy(C₁₋₃)alkyl, CONH₂, COOH, -CH₂CONH₂, -CH₂COOH, -CONHCH₃, and hydroxy in the 3-position optionally substituted by (C₁₋₃)alkyl;

5 R⁴ is a group -U-R⁵ where R⁵ is a substituted or unsubstituted bicyclic carbocyclic or heterocyclic ring system (A):



containing up to four heteroatoms in each ring in which at least one of rings (a) and (b) is aromatic;

10 X¹ is C or N when part of an aromatic ring or CR¹⁴ when part of a non aromatic ring;

 $\rm X^2$ is N, NR¹³, O, S(O)_X, CO or CR¹⁴ when part of an aromatic or non-aromatic ring or may in addition be CR¹⁴R¹⁵ when part of a non aromatic ring;

 X^3 and X^5 are independently N or C;

15

20

25

 Y^1 is a 0 to 4 atom linker group each atom of which is independently selected from N, NR¹³, O, S(O)_X, CO and CR¹⁴ when part of an aromatic or non-aromatic ring or may additionally be CR¹⁴R¹⁵ when part of a non aromatic ring,

 Y^2 is a 2 to 6 atom linker group, each atom of Y^2 being independently selected from N, NR¹³, O, S(O)_X, CO and CR¹⁴ when part of an aromatic or non-aromatic ring or may additionally be CR¹⁴R¹⁵ when part of a non aromatic ring;

each of R^{14} and R^{15} is independently selected from H; (C_{1-4}) alkylthio; halo; (C_{1-4}) alkyl; (C_{2-4}) alkenyl; hydroxy; hydroxy (C_{1-4}) alkyl; mercapto (C_{1-4}) alkyl; (C_{1-4}) alkoxy; trifluoromethoxy; nitro; cyano; carboxy; amino or aminocarbonyl optionally substituted by (C_{1-4}) alkyl;

each R^{13} is independently H; trifluoromethyl; (C_{1-4}) alkyl optionally substituted by hydroxy, carboxy, (C_{1-4}) alkoxy, (C_{1-6}) alkylthio, halo or trifluoromethyl; (C_{2-1})

4)alkenyl; or aminocarbonyl wherein the amino group is optionally substituted (C₁₋₄)alkyl;

each x is independently 0, 1 or 2; and

U is CO, SO₂ or CH₂; or a pharmaceutically acceptable salt thereof.

5

- 2. A compound according to claim 1 wherein R¹ is F, Cl, OCH₃, methyl, or SCH₃.
- 3. A compound according to claim 1 R^{1a} is H, OCH₃, OCH₂CH₂OCH₃.
- 10 4. A compound according to claim 1 wherein R^{1b} is H or F.
 - 5. A compound according to claim 1 wherein R1c is Cl or F.
 - 6. A compound according to claim 1 wherein R³ is H, OH, OCH₃, or CH₂OH.

15

- 7. A compound according to claim 1 wherein R⁶ is H or OH.
- 8. A compound according to claim 1 wherein the group -U- is -CH₂-.
- 9. A compound according to claim 1 wherein R⁵ is:

benzo[1,2,5]thiadiazol-5-yl;

4H-benzo[1,4] thiazin-3-one-6-yl;

2,3-dihydro-benzo[1,4]dioxin-6-yl;

benzo[1,2,3]thiadiazol-5-yl;

- 25 3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-6-yl;
 - 7-fluoro-3-oxo-3,4-dihydro-2H-benzo[1,4] oxazin-6-vl;
 - 2-oxo-2,3-dihydro-1H-pyrido[2,3-b][1,4]thiazin-7-yl;
 - 2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl;
 - 3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazin-6-yl;
- 30 [1,2,3]thiadiazolo[5,4-b]pyridin-6-yl;
 - 3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazin-6-yl;
 - 7-chloro-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazin-6-yl; or
 - 7-fluoro-3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazin-6-yl.

10. A compound according to claim 1 which is:

5

10

20

25

30

35

6-({1-[(Racemic)-2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-2-hydroxy-ethyl]-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride:

(Racemic)-1-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-2-{4-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amino]-piperidin-1-yl}-ethanol Dihydrochloride;

{1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-ethyl]-piperidin-4-yl}-(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amine Dihydrochloride;

{1-[2-(3-Chloro-6-methoxy-quinolin-4-yl)-ethyl]-piperidin-4-yl}-(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amine Dihydrochloride;

6-({(cis)-1-[2-(3-Chloro-6-methoxy-quinolin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride Enantiomer 1;

6-({(cis)-1-[2-(3-Chloro-6-methoxy-quinolin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride Enantiomer 2;

6-({(cis)-1-[2-(3-Chloro-6-methoxy-quinolin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride Enantiomer 1;

6-({(cis)-1-[2-(3-Chloro-6-methoxy-quinolin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride Enantiomer 2;

6-({(cis)-1-[2-(3-Chloro-6-methoxy- [1,5]naphthyridin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride Enantiomer 1;

6-({(cis)-1-[2-(3-Chloro-6-methoxy- [1,5]naphthyridin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride Enantiomer 2;

6-({(cis)-1-[2-(3-Chloro-6-methoxy- [1,5]naphthyridin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride Enantiomer 1;

6-({(cis)-1-[2-(3-Chloro-6-methoxy- [1,5]naphthyridin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride Enantiomer 2;

6-({1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl amino}methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Trihydrochloride; 6-({1-[2-(3-chloro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl amino}methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one Trihydrochloride; 5 6-({1-[2-(3-Chloro-6-methoxynaphthyridin-4-yl)ethyl]piperidin-4-yl amino}methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride; 6-({1-[2-(3-chloro-6-methoxynaphthyridin-4-yl)ethyl]piperidin-4-yl amino}methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride;. 6-({(trans)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]3-hydroxypiperidin-4-10 yl amino}methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Trihydrochloride enantiomer 2; 6-({(trans)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]3-hydroxypiperidin-4yl amino}methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one Trihydrochloride enantiomer 2; 6-(trans)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]3-hydroxypiperidin-4-yl amino}methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one_Trihydrochloride enantiomer 1; 15 6-(trans)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]3-hydroxypiperidin-4-yl amino}methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one Trihydrochloride enantiomer 1; 6-({1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]4-hydroxymethylpiperidin-4ylamino}methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride; 6-({1-[2-(3-Chloro-6-fluoro-5-methoxy-quinolin-4-yl)-ethyl]-piperidin-4-20 ylamino}-methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride; 6-({1-[2-(3-Chloro-6-methyl-[1,5]naphthyridin-4-yl)-ethyl]-piperidin-4ylamino}-methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride; $\{1-[2-(3-Chloro-6-methyl-[1,5]naphthyridin-4-yl)-ethyl]-piperidin-4-yl\}-(2,3-yl)-ethyl-[1,5]naphthyridin-4-yl-ethyl-ethyl-[1,5]naphthyridin-4-yl-ethyl-ethyl-[1,5]naphthyridin-4-yl-ethyl-[1,5]naphthyridin-4-yl-ethyl-[1,5]naphthyridin-4-yl-ethyl-[1,5]naphthyridin-4-yl-ethyl-[1,5]naphthyridin-4-yl-ethyl-[1,5]naphthyridin-4-yl-ethyl-[$ dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amine Dihydrochloride; 25 6-({1-[2-(3-Chloro-6-fluoro-quinolin-4-yl)-ethyl]-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride; {1-[2-(3-Chloro-6-fluoro-quinolin-4-yl)-ethyl]-piperidin-4-yl}-(2,3dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amine Dihydrochloride; 6-({1-[2-(3, 6-Dichloro-quinolin-4-yl)-ethyl]-piperidin-4-ylamino}-methyl)-4H-30 pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride: {1-[2-(3,6-Dichloro-quinolin-4-yl)-ethyl]-piperidin-4-yl}-(2,3dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl-amine Dihydrochloride; (cis)-1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-ethyl]-4-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amino]-piperidin-3-ol Dihydrochloride 35 Enantiomer 1;

(cis)-1-[2-(3-Chloro-6-methoxy- [1,5]naphthyridin-4-yl)-ethyl]-4-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amino]-piperidin-3-ol Dihydrochloride Enantiomer 2;

6-({1-[2-(3-Fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl amino}methyl)-5 4*H*-pyrido[3,2-*b*][1,4]thiazin-3-one dihydrochloride;

{1-[2-(3-Fluoro-6-methoxy-quinolin-4-yl)-ethyl]-piperidin-4-yl}-(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amine dihydrochloride;

cis-4-[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amino]-1-[2-(3-10 fluoro-6-methoxy-quinolin-4-yl)-ethyl]-piperidin-3-ol Enantiomer 2 dihydrochloride; cis-4-[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amino]-1-[2-(3-fluoro-6-methoxy-quinolin-4-yl)-ethyl]-piperidin-3-ol dihydrochloride dihydrochloride Enantiomer 1;

{1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-2-hydroxyethyl]-piperidin-4-yl}-(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amine Dihydrochloride Enantiomer 1;

15

20

25

30

35

6-({1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-2-hydroxy-ethyl]-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride Enantiomer 1;

6-({1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-2-hydroxy-ethyl}-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride Enantiomer 2;

{6-(trans)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-3-hydroxypiperidin-4-yl}-(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amine Enantiomer 2;

(trans)-6-({(1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b] [1,4]-thiazin-3-one Dihydrochloride Enantiomer 2;

trans-6-({1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b] [1,4] oxazin-3-one Trihydrochloride Enantiomer 2;

trans-6-({1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b] [1,4] thiazin-3-one dihydrochloride Enantiomer 1;

6-({(3R,4r,5S)-1-[2-(3-Chloro-6-methoxy-quinolin-4-yl)-ethyl]-3,5-dihydroxy-piperidin-4-ylamino)}-methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one dihydrochloride;

6-({1-[2-(3-Fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl amino}methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one dihydrochloride; {1-[2-(3-Bromo-6-methoxy-quinolin-4-yl)-ethyl]-piperidin-4-yl}-(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amine Dihydrochloride; cis-1-[2-(3-Chloro-6-methoxy-quinolin-4-yl)-ethyl]-4-[(2,3-dihydro-5 [1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amino]-piperidin-3-ol Dihydrochloride Enantiomer 1; cis-1-[2-(3-Chloro-6-methoxy-quinolin-4-yl)-ethyl]-4-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amino]-piperidin-3-ol Dihydrochloride 10 Enantiomer 2; 1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-N-(2,3dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-4-piperidinamine dihydrochloride; 7-{[(1-{2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl}-4piperidinyl)amino]methyl}-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one dihydrochloride; 6-{[(1-{2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-15 piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dinydrochloride; 6-{[(1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-4piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride; $1-\{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl] ethyl\}- \textit{N-}([1,3]dioxolo[4,5-div]) + ([1,3]dioxolo[4,5-div]) + ([1,3]diox$ c]pyridin-6-ylmethyl)-4-piperidinamine dihydrochloride; 20 {1-[2-(9-Chloro-2,3-dihydro-[1,4]dioxino[2,3-f]quinolin-10-yl)-ethyl]-piperidin-4-yl}-(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-amine dihydrochloride; N-(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-piperidinamine dihydrochloride; 25 N-(2,3-Dihydro-1H-pyrido[3,4-b][1,4]thiazin-7-ylmethyl)-1-{2-[3-fluoro-6-pyrido[3,4-b][1,4]} (methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-piperidinamine dihydrochloride; 6-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride; 7-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4piperidinyl)amino]methyl}-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one dihydrochloride; 30 3-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-

piperidinyl)amino]methyl}-8-hydroxy-1(2H)-isoquinolinone dihydrochloride;

 $3-\{[(1-\{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl\}-4-piperidinyl)amino]methyl\}-5H-pyridazino[3,4-b][1,4]thiazin-6(7H)-one dihydrochloride;$

5

10

15

20

25

30

35

6-{[(1-{2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]thiazin-3(4*H*)-one dihydrochloride;

N-(2,3-Dihydro[1,4]oxathiino[2,3-*c*]pyridin-7-ylmethyl)-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-piperidinamine dihydrochloride;

 $1-\{2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl\}-N-([1,3]oxathiolo[5,4-c]pyridin-6-ylmethyl)-4-piperidinamine dihydrochloride;$

7-Fluoro-*N*-(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4- yl]ethyl}-4-piperidinyl)-3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazine-6-carboxamide dihydrochloride;

 $N-(1-\{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl\}-4-piperidinyl)-2-oxo-2,3-dihydro-1<math>H$ -pyrido[2,3-b][1,4]thiazine-7-carboxamide dihydrochloride;

 $N-(1-\{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl\}-4- piperidinyl)-3-oxo-3,4-dihydro-2$ *H*-pyrido[3,2-*b*][1,4]thiazine-6-carboxamide;

N-(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-piperidinyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazine-6-carboxamide;

(3*R*,4*S*)-4-[(2,3-dihydro[1,4]dioxino[2,3-*c*]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-piperidinol dihydrochloride Enantiomer 1;

 $6-\{[((3R,4S)-1-\{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl\}-3-hydroxy-4-piperidinyl)amino]methyl\}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride;$

6-{[((3*R*,4*S*)-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]oxazin-3(4*H*)-one dihydrochloride;

(3R,4S)-4-[(2,3-dihydro[1,4]dioxino[2,3-b]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-piperidinol dihydrochloride;

 $6-\{[((3S,4R)-1-\{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl\}-3-hydroxy-4-piperidinyl)amino]methyl\}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride Enantiomer 2;$

N-((3S,4R)-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-piperidinyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide hydrochloride Enantiomer 2;

7-{[((3R,4S)-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-hydroxy-4-piperidinyl)amino]methyl}-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one dihydrochloride Enantiomer 1;

6-{[((3*R*,4*S*)-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-hydroxy-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]thiazin-3(4*H*)-one dihydrochloride Enantiomer 1;

5

10

15

20

25

30

(3*R*,4*S*)-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-[(2,3-dihydro[1,4]dioxino[2,3-*c*]pyridin-7-ylmethyl)amino]-3-piperidinol dihydrochloride dihydrochloride Enantiomer 1;

 $6-\{[((3R,4S)-1-\{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl\}-3-hydroxy-4-piperidinyl)amino]methyl\}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride;$

N-[(4-fluoro-1*H*-benzimidazol-2-yl)methyl]-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinamine;

1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-*N*-(1,5,6,7-tetrahydro-1,8-naphthyridin-2-ylmethyl)-4-piperidinamine dihydrochloride;

N-(3-cinnolinylmethyl)-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinamine dihydrochloride;

N-(2,1,3-benzothiadiazol-5-ylmethyl)-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinamine dihydrochloride;

1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-*N*-([1,3]thiazolo[5,4-*b*]pyridin-6-ylmethyl)-4-piperidinamine dihydrochloride;

N-(3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazin-6-ylmethyl)-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinamine dihydrochloride;

N-(1,3-benzothiazol-5-ylmethyl)-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinamine dihydrochloride;

 $1-\{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl\}-N-([1,2,3]thiadiazolo[5,4-b]pyridin-6-ylmethyl)-4-piperidinamine dihydrochloride;$

7-{[(1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinyl)amino]methyl}-1*H*-pyrido[2,3-*b*][1,4]thiazin-2(3*H*)-one dihydrochloride;

N-(2,3-dihydro[1,4]dioxino[2,3-b]pyridin-7-ylmethyl)-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinamine dihydrochloride;

N-(2,3-dihydro[1,4]oxathiino[2,3-*c*]pyridin-7-ylmethyl)-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinamine dihydrochloride;

4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-N-methyl-4-piperidinecarboxamide dihydrochloride;

- 4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinecarboxamide dihydrochloride;
- 4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-N-methyl-4-piperidinecarboxamide dihydrochloride;

5

10

20

- 4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-piperidinecarboxamide dihydrochloride;
- 1-{2-[3-chloro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-4-piperidinecarboxamide dihydrochloride;
- (4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinyl)methanol dihydrochloride;
- N-[1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-(hydroxymethyl)-4-piperidinyl]-3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazine-6-carboxamide hydrochloride;
 - $N-(1-\{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl\}-4-piperidinyl)-3-oxo-3,4-dihydro-2<math>H$ -pyrido[3,2-b][1,4]oxazine-6-carboxamide hydrochloride;
 - *N*-(1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-piperidinyl)-3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazine-6-carboxamide hydrochloride;
 - 7-{[((3R,4S)-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-hydroxy-4-piperidinyl)amino]methyl}-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one dihydrochloride Enantiomer 1;
- 6-{[((3*R*,4*S*)-1-{2-[3-chloro-8-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-hydroxy-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]thiazin-3(4*H*)-one dihydrochloride Enantiomer 1;
 - (3R,4S)-1-{2-[3-chloro-8-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-3-piperidinol dihydrochloride;
- 2-{4-[(2,3-Dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-piperidinyl}-1-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethanol Dihydrochloride Hydrate Enantiomer 1;
 - 2-{4-[(2,3-Dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-piperidinyl}-1-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethanol Dihydrochloride Hydrate

Enantiomer 2;

5

10

15

20

25

30

racemic, cis 4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-piperidinyl)methanol dihydrochloride;

racemic, cis-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-piperidinecarboxylic acid dihydrochloride;

racemic,cis-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-piperidinecarboxamide dihydrochloride;

 $1-\{2-[3-chloro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl\}-N-[(6-oxido-2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-4-piperidinamine dihydrochloride;$

 $6-\{[(1-\{2-[3-chloro-6-(methoxy)-1,5-naphthyridin-4-yl]-3-hydroxypropyl\}-4-piperidinyl)amino]methyl\}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride;$

6-[((1-[2-(3,6-difluoro-4-quinolinyl)ethyl]-4-piperidinyl)amino)methyl]-2*H*-pyrido[3,2-*b*][1,4]thiazin-3(4*H*)-one dihydrochloride;

1-[2-(3,6-difluoro-4-quinolinyl)ethyl]-*N*-(2,3-dihydro[1,4]dioxino[2,3-*c*]pyridin-7-ylmethyl)-4-piperidinamine hydrochloride dihydrochloride;

6-[((1-[2-(3,6-difluoro-4-quinolinyl)ethyl]-4-piperidinyl)amino)methyl]-2*H*-pyrido[3,2-*b*][1,4]oxazin-3(4*H*)-one dihydrochloride;

 $6-\{[(1-\{2-[3-chloro-6-fluoro-5-(methoxy)-4-quinolinyl]-1-methylethyl\}-4-piperidinyl)amino]methyl\}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride;$

1-{2-[3-chloro-6-fluoro-5-(methoxy)-4-quinolinyl]ethyl}-*N*-(2,3-dihydro[1,4]dioxino[2,3-*c*]pyridin-7-ylmethyl)-4-piperidinamine dihydrochloride;

1-[2-(6-chloro-3-fluoro-4-quinolinyl)ethyl]-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-N-methyl-4-piperidinecarboxamide dihydrochloride;

2-{4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-piperidinyl}-1-[3-fluoro-6-(methoxy)-4-quinolinyl]ethanol dihydrochloride Enantiomer 2;

6-{[trans-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride Enantiomer E2;

6-{[trans-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride Enantiomer E2;

trans-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-piperidinol dihydrochloride Enantiomer E2;

6-{[trans-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-hydroxy-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one-dihydrochloride Enantiomer E2:

5

10

20

30

trans-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-piperidinol dihydrochloride;

N-trans-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-piperidinyl)-3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazine-6-carboxamide hydrochloride Enantiomer E2;

N-trans-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-piperidinyl)-2,3-dihydro[1,4]dioxino[2,3-*c*]pyridine-7-carboxamide hydrochloride Enantiomer E2;

racemic, trans-6-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-3-methyl-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]thiazin-3(4*H*)-one dihydrochloride;

Trans-4-[(2,3-dihydro[1,4]dioxino[2,3-*c*]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-methyl-3-piperidinol dihydrochloride;

6-{[trans-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-methyl-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride Enantiomer E1;

Trans-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-methyl-3-piperidinol dihydrochloride;

6-{[trans-1-{2-{3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-methyl-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride Enantiomer E2:

Trans-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-methyl-3-piperidinol dihydrochloride;

N-(3,4-dihydro-2*H*-pyrano[2,3-*c*]pyridin-6-ylmethyl)-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-piperidinamine dihydrochloride;

```
{[(1-{2-[3-Fluoro-6-(methoxy-5-naphthyridin-4-yl]ethyl}-4-
      piperidinyl)amino]methyl}-3,4-dihydro-1,8-naphthyridin-2-(1H)-one;
             7-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-
      piperidinyl)amino]methyl}-2,3-dihydro-1,5-benzothiazepin-4(5H)-one;
 5
             trans-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-
      fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-piperidinol dihydrochloride
      Enantiomer E1;
             6-{[(-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-
      piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride;
10
             trans-6-{[(1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-hydroxy-4-
      piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one Enantiomer E1;
              trans-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-
      fluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-piperidinol dihydrochloride;
             trans-6-{[(1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-hydroxy-4-
15
      piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride;
             trans-N-(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-
      piperidinyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide
      hydrochloride Enantiomer E1;
             trans-N-((3R,4R)-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-
20
      hydroxy-4-piperidinyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazine-6-
      carboxamide Isomer E1 hydrochloride;
             trans-N-(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-
      piperidinyl)-2,3-dihydro[1,4]dioxino[2,3-c]pyridine-7-carboxamide Isomer E1
      hydrochloride;
25
             6-{[trans-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-4-
     piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one Enantiomer E1;
             6-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-methyl-4-
     piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride;
             6-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-methyl-4-
30
     piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride;
              N-(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-1-{2-[3-fluoro-6-
     (methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-methyl-4-piperidinamine dihydrochloride;
             N-(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-methyl-4-
     piperidinyl)-2,3-dihydro-1,4-benzodioxin-6-sulfonamide;
```

cis-6-{[(1-{2-[3-chloro-8-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-fluoro-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride Enantiomer 1:

cis-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-N-(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-3-fluoro-4-piperidinamine dihydrochloride Enantiomer1;

5

15

20

25

cis-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-*N*-(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-3-fluoro-4-piperidinamine dihydrochloride Enantiomer 2;

cis-6-{[(1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-fluoro-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]oxazin-3(4*H*)-one dihydrochloride, Enantiomer 1:

cis-6-{[(1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-fluoro-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride, Enantiomer 2;

cis-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-*N*-(2,3-dihydro-1,4-benzodioxin-6-ylmethyl)-3-fluoro-4-piperidinamine dihydrochloride, Enantiomer 1; cis-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-*N*-(2,3-dihydro-1,4-benzodioxin-6-ylmethyl)-3-fluoro-4-piperidinamine dihydrochloride, Enantiomer 2;

cis-6-{[(-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-fluoro-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride, Enantiomer 1:

cis-6-{[(-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-fluoro-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride, Enantiomer 2:

cis-N-(1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-fluoro-4-piperidinyl)-3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazine-6-carboxamide hydrochloride Enantiomer 1;

6-{[((3*S*,4*R*)-1-{2-[3-chloro-8-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-30 hydroxy-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]thiazin-3(4*H*)-one dihydrochloride Enantiomer E2;

trans-6-({1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-ethyl]-3-hydroxy-piperidin-4-ylamino}-methyl)-4H-pyrido[3,2-b] [1,4] oxazin-3-one trihydrochloride Enantiomer 1;

trans-1-{2-[3-chloro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-[(2,3dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-3-piperidinol Enantiomer 1; trans-1-{2-[3-chloro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-[(2,3dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-3-piperidinol Enantiomer 2; 5 2-{4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-piperidinyl}-1-[3-fluoro-6-(methoxy)-4-quinolinyl]ethanol dihydrochloride Enantiomer 1; N-(2,3-dihydro-1,4-benzodioxin-6-ylmethyl)-1-{2-[3-fluoro-6-(methoxy)-1,5naphthyridin-4-yl]ethyl]-4-piperidinamine; (3S,4R)-4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-{2-[3-10 fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-piperidinol dihydrochloride Enantiomer 2: (3R,4S)-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-[([1,3]oxathiolo[5,4-c]pyridin-6-ylmethyl)amino]-3-piperidinol dihydrochloride Enantiomer E1; 15 6-{[(1-{2-[3-chloro-8-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-4piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one; 1-{2-[3-chloro-8-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-N-(2,3dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-4-piperidinamine; (3S,4R)-1-[2-(3,6-dichloro-4-quinolinyl)ethyl]-4-[(2,3-dihydro[1,4]dioxino[2,3-20 c]pyridin-7-ylmethyl)amino]-3-piperidinol dihydrochloride Enantiomer E2; 6-[({(3S,4R)-1-[2-(3,6-dichloro-4-quinolinyl)ethyl]-3-hydroxy-4piperidinyl}amino)methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride Enantiomer E2; (3S,4F)-1-[2-(3-chloro-6-fluoro-4-quinolinyl)ethyl]-4-[(2,3-25 dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-3-piperidinol dihydrochloride Enantiomer E2: 6-[(((3S,4R)-1-[2-(3-chloro-6-fluoro-4-quinolinyl)ethyl]-3-hydroxy-4piperidinyl]amino)methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride Enantiomer E2; 30 N-(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-methyl-4piperidinyl)-2,3-dihydro[1,4]dioxino[2,3-c]pyridine-7-carboxamide dihydrochloride; N-(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-methyl-4piperidinyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazine-6-carboxamide; N-(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-methyl-4-35 piperidinyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide;

trans-6-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-3-methyl-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride Enantiomer E1:

trans-6-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-3-methyl-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]thiazin-3(4*H*)-one dihydrochloride Enantiomer E1;

trans-6-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-3-methyl-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride Enantiomer E2; trans-6-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-hydroxy-3-methyl-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride Enantiomer E2;

10

15

20

30

35

trans-4-[(2,3-dihydro-1,4-benzodioxin-6-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-piperidinol hydrochloride Enantiomer E1;

trans -4-[(2,3-dihydro-1,4-benzodioxin-6-ylmethyl)amino]-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-piperidinol dihydrochloride Enantiomer E2; trans -4-[(2,3-dihydro-1,4-benzodioxin-6-ylmethyl)amino]-1-{2-[3-fluoro-6-

(methoxy)-1,5-naphthyridin-4-yl]ethyl}-3-piperidinol dihydrochloride Enantiomer E1; (3*S*,4*R*)-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-[(2,3-dihydro[1,4]dioxino[2,3-*c*]pyridin-7-ylmethyl)amino]-3-piperidinol dihydrochloride Enantiomer E2;

(3*S*,4*R*)-1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-4-[(2,3-dihydro-1,4-benzodioxin-6-ylmethyl)amino]-3-piperidinol dihydrochloride Enantiomer E2; *N*-(2,3-dihydro-1-benzofuran-5-ylmethyl)-1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-4-piperidinamine dihydrochloride;

6-{[(1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]-2-hydroxyethyl}-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]oxazin-3(4*H*)-one dihydrochloride Enantiomer E1;

6-{[(1-{2-[3-fluoro-6-(methoxy)-4-quinolinyl]-2-hydroxyethyl}-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]oxazin-3(4*H*)-one dihydrochloride Enantiomer E2;

6-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]-2-hydroxyethyl}-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]oxazin-3(4*H*)-one dihydrochloride Enantiomer E2; 6-{[(1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]-2-hydroxyethyl}-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]oxazin-3(4*H*)-one dihydrochloride Enantiomer E1;

6-{[(1-{2-[3-chloro-8-fluoro-6-(methoxy)-4-quinolinyl]-2-hydroxyethyl}-4-piperidinyl)amino]methyl}-2*H*-pyrido[3,2-*b*][1,4]oxazin-3(4*H*)-one dihydrochloride Enantiomer E1;

 $6-\{[(1-\{2-[3-chloro-8-fluoro-6-(methoxy)-4-quinolinyl]-2-hydroxyethyl\}-4-piperidinyl)amino]methyl\}-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride$

Enantiomer E2;

5

10

30

1-[3-chloro-8-fluoro-6-(methoxy)-4-quinolinyl]-2-{4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-piperidinyl}ethanol dihydrochloride Enantiomer E1;

1-[3-chloro-8-fluoro-6-(methoxy)-4-quinolinyl]-2-{4-[(2,3-dihydro[1,4]dioxino[2,3-

c]pyridin-7-ylmethyl)amino]-1-piperidinyl}ethanol dihydrochloride Enantiomer E2; 1-[3,8-difluoro-6-(methoxy)-4-quinolinyl]-2-{4-[(2,3-dihydro[1,4]dioxino[2,3-

c]pyridin-7-ylmethyl)amino]-1-piperidinyl}ethanol dihydrochloride Enantiomer E2;

1-[3,8-difluoro-6-(methoxy)-4-quinolinyl]-2-{4-[(2,3-dihydro[1,4]dioxino[2,3-

c]pyridin-7-ylmethyl)amino]-1-piperidinyl}ethanol dihydrochloride Enantiomer E1;

1-[3-chloro-6-(methoxy)-4-quinolinyl]-2-{4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-piperidinyl}ethanol dihydrochloride Enantiomer E2;

1-[3-chloro-6-(methoxy)-4-quinolinyl]-2-{4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-piperidinyl}ethanol dihydrochloride Enantiomer E1;

1-[3-chloro-6-(methoxy)-1,5-naphthyridin-4-yl]-2-{4-[(2,3-

dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-1-piperidinyl}ethanol dihydrochloride Enantiomer E2;

2-{4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-3-fluoro-1-piperidinyl}-1-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethanol dihydrochloride Enantiomer E2;

2-{4-[(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amino]-3-fluoro-1-piperidinyl}-1-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethanol dihydrochloride Enantiomer E1;

7-{[(1-{2-[3,8-difluoro-6-(methoxy)-4-quinolinyl]ethyl}-3-fluoro-4-piperidinyl)amino]methyl}-1*H*-pyrido[2,3-*b*][1,4]thiazin-2(3*H*)-one dihydrochloride Enantiomer E2;

 $1-\{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl\}-\textit{N-}\{[8-(methoxy)-2,3-dihydro-1,4-benzodioxin-6-yl]methyl\}-4-piperidinamine; and$

1-{2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl}-*N*-[(7-methyl-2,3-dihydro-1,4-benzodioxin-6-yl)methyl]-4-piperidinamine:

or a pharmaceutically acceptable salt thereof.

11. A process for preparing compounds of formula (I), and pharmaceutically acceptable derivatives thereof, which process comprises reacting a compound of formula (IV) with a compound of formula (V):

5

- wherein Z¹', R¹',R¹b', R¹c' and R3' are Z¹, R¹b, R¹c and R³ as defined in formula (I) or groups convertible thereto; Q¹ is NHR⁴' or a group convertible thereto wherein R4' is R⁴ as defined in formula (I) or groups convertible thereto and Q² is H or R³' or Q¹ and Q² together form an optionally protected oxo group;
 - (i) X is A'-COW, Y is H;
- 15 (ii) X is CH=CH2, Y is H;
 - (iii) X is oxirane, Y is H;
 - (iv) one of X and Y is CO₂RY and the other is CH₂CO₂RX;

in which W is a leaving group, e.g. halo or imidazolyl; R^X and R^Y are (C_{1-4}) alkyl; A' is A as defined in formula (I), or groups convertible thereto; and oxirane is:

20

25

and thereafter optionally or as necessary converting Q^1 and Q^2 to NHR⁴; converting A', Z¹'R¹', R^{1b}', R^{1c}', R³', and R⁴' to A, Z¹, R¹, R^{1b}, R^{1c}, R³, and R⁴; converting A-B to other A-B, interconverting R¹, , R^{1b}, R^{1c}, R³, and/or R⁴, and/or forming a pharmaceutically acceptable derivative thereof.

12. A pharmaceutical composition comprising a compound according to claim 1 and a pharmaceutically acceptable carrier.

13. A method of treating bacterial infections in mammals which comprises
5 administrating to a mammal in need thereof an effective amount of a compound according to claim 1.